

GAU 3762

PATENT

- 1 -



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

CSABA TRUCKAI, et al.

Application No. 09/103,072

Filed: June 23, 1998

For: MOISTURE TRANSPORT SYSTEM FOR
CONTACT ELECTROCOAGULATION

Group Art Unit: 3762

Examiner: Noggle

**RESPONSE TO RESTRICTION
REQUIREMENT MAILED
MARCH 14, 2000**

2001 Ferry Building
San Francisco, CA 94111
(415) 433-4150

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, DC 20231, on April 13, 2000.

LIMBACH & LIMBACH LLP

Date: 04/13/00

By:

Janet Chan

Assistant Commissioner for Patents
Washington, DC 20231

Sir:

Applicants respectfully request that the Patent and Trademark Office withdraw the Restriction Requirement mailed March 13, 2000.

The Restriction Requirement was issued after a first office action on all claims was issued, and after Applicants responded to the office action. In that office action, some method claims and some apparatus claims were indicated allowable. Accordingly, a search and examination of *both* method and apparatus claims has already been conducted by the Patent and Trademark Office. For this reason, it would not unduly burden the PTO to have all claims remain pending in the case. This, Applicants urge the PTO to withdraw the Restriction Requirement and to continue examination of all claims.

RECEIVED
APR 20 2000
TECHNICAL CENTER 3700

In the event the Restriction Requirement is not withdrawn, Applicants provisionally elect the method claims, Claims 1 - 15 and 32, with traverse.

Respectfully submitted,

LIMBACH & LIMBACH L.L.P.

Dated: 4.13.2000

By: Kathleen A Frost

Kathleen A. Frost

Reg. No. 37,326

Attorneys for Applicant(s)

Attorney Docket No. ENV5-220 []